

■ AL = Aluminium  
 ■ BR = Brass *Laiton Latón*  
 ■ ST = Steel *Acier Acero*  
 ■ SS = Stainless steel *Inox*  
 ■ PP = Polypropylene

## Trelleborg Fittings 2013

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.	Notes
 <p>Type A. Type A. Tipo A.</p>	SS 316	1/2"		510 13 96	
		3/4"		510 13 97	
		1"		510 13 98	
		1"1/4"		510 13 99	
		1"1/2"		510 14 00	
		2"		510 14 01	
		2"1/2"		510 14 02	
		3"		510 14 03	
		4"		510 14 04	
		5"		510 15 87	
 <p>Type B. Type B. Tipo B.</p>	SS 316	1/2"		510 14 26	
		3/4"		510 14 27	
		1"		510 14 28	
		1"1/4"		510 14 29	
		1"1/2"		510 14 30	
		2"		510 14 31	
		2"1/2"		510 14 32	
		3"		510 14 33	
		4"		510 14 34	
		5"		510 15 90	
 <p>Type C. Type C. Tipo C.</p>	SS 316	1/2"		011 74 30	
		3/4"		011 74 31	
		1"		011 74 32	
		1"1/4"		011 74 33	
		1"1/2"		011 74 34	
		2"		011 74 35	
		2"1/2"		011 74 36	
		3"		011 74 37	
		4"		011 74 38	
		5"		510 15 85	
 <p>Type D. Type D. Tipo D.</p>	SS 316	1/2"		510 14 16	
		3/4"		510 14 17	
		1"		510 14 18	
		1"1/4"		510 14 19	
		1"1/2"		510 14 20	
		2"		510 14 21	
		2"1/2"		510 14 22	
		3"		510 14 23	
		4"		510 14 24	
		5"		510 15 89	
6"		510 14 25			

■ AL = Aluminium  
 ■ BR = Brass *Laiton Latón*  
 ■ ST = Steel *Acier Acero*  
 ■ SS = Stainless steel *Inox*  
 ■ PP = Polypropylene

## Trelleborg Fittings 2013

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.	Notes
 <p>Secure type D DIN 2828. <b>Type D sécurisé DIN 2828.</b> <i>Tipo D securizado DIN 2828.</i></p>	<b>SS 316</b>	3/4"		SAFD19	
		1"		SAFD25	
		1"1/4		SAFD32	
		1"1/2		SAFD40	
		2"		SAFD50	
		2"1/2		SAFD65	
		3"		SAFD80	
		4"		SAFD100	
 <p>Type E. <b>Type E.</b> <i>Tipo E.</i></p>	<b>SS 316</b>	1/2"		011 74 43	
		3/4"		011 74 44	
		1"		011 74 45	
		1"1/4		011 74 46	
		1"1/2		011 74 47	
		2"		011 74 48	
		2"1/2		011 74 49	
		3"		011 74 50	
		4"		011 74 51	
		5"		510 15 86	
 <p>Type F. <b>Type F.</b> <i>Tipo F.</i></p>	<b>SS 316</b>	1/2"		510 14 06	
		3/4"		510 14 07	
		1"1/4		510 14 09	
		2"		510 14 11	
		3"		510 14 13	
		5"		510 15 88	
		1"		510 14 08	
		1"1/2		510 14 10	
		2"1/2		510 14 12	
		4"		510 14 14	
 <p>Adaptor BW. <b>Adapteur BW.</b> <i>Adaptor BW.</i></p>	<b>SS 316</b>	1/2"	21,3	510 20 11	
		3/4"	26,9	510 20 12	
		1"	33,7	510 20 13	
		1"1/4	42,2	510 20 14	
		1"1/2	48,3	510 20 15	
		2"	60,3	510 20 16	
		2"1/2	76,1	510 20 17	
		3"	88,9	510 20 18	
		4"	114,3	510 20 19	
		5"	139,7	510 69 97	



■ AL = Aluminium 
 ■ BR = Brass *Laiton Latón*
■ ST = Steel *Acier Acero*
■ SS = Stainless steel *Inox*
■ PP = Polypropylene

## Trelleborg Fittings 2013

		ID coupling Diam. raccord Diam. racor	ID shank Diam. douille Diam. espiga	Ref.	Notes
 <p>Coupler BW. <b>Coupleur BW.</b> <i>Acoplador BW.</i></p>	<b>SS 316</b>	1/2"	21,3	510 20 20	
		3/4"	26,9	510 20 21	
		1"	33,7	510 20 22	
		1"1/4	42,2	510 20 23	
		1"1/2	48,3	510 20 24	
		2"	60,3	510 20 25	
		2"1/2	76,1	510 20 26	
		3"	88,9	510 20 27	
		4"	114,3	510 20 28	
		5"	139,7	510 69 96	
 <p>Secure coupler BW. <b>Coupleur BW sécurisé.</b> <i>Acoplador securizado BW.</i></p>	<b>SS 316</b>	3/4"	26,7	SAFBW19	
		1"	33,7	SAFBW25	
		1"1/4	42,2	SAFBW32	
		1"1/2	48,3	SAFBW40	
		2"	60,3	SAFBW50	
		2"1/2	76,1	SAFBW65	
		3"	88,9	SAFBW80	
4"	114,3	SAFBW100			
 <p>Type DC. <b>Type DC.</b> <i>Tipo DC.</i></p>	<b>SS 316</b>	1/2"		510 14 46	
		3/4"		510 14 47	
		1"		510 14 48	
		1"1/2		510 14 50	
		1"1/4		510 14 49	
		2"		510 14 51	
		2"1/2		510 14 52	
		3"		510 14 53	
		4"		510 14 54	
		5"		510 15 92	
 <p>Type DP. <b>Type DP.</b> <i>Tipo DP.</i></p>	<b>SS 316</b>	1/2"		510 14 36	
		3/4"		510 14 37	
		1"		510 14 38	
		1"1/4		510 14 39	
		1"1/2		510 14 40	
		2"		510 14 41	
		2"1/2		510 14 42	
		3"		510 14 43	
		4"		510 14 44	
		5"		510 15 91	
6"		510 14 45			